# **Product Datasheet**

# DNMT1 Antibody (60B1220.1) - BSA Free NB100-56519

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Reviews: 4 Publications: 140

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB100-56519

Updated 12/20/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NB100-56519




# NB100-56519

| DNMT1 Antibody (60B1220.1) - BSA Free |   |
|---------------------------------------|---|
| Product Information                   |   |
| Unit Size                             | 0.1 mg  |
| Concentration                         | 1.0 mg/ml   |
| Storage                               | Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.  |
| Clonality                             | Monoclonal  |
| Clone                                 | 60B1220.1   |
| Preservative                          | 0.05% Sodium Azide  |
| Isotype                               | IgG1 Kappa  |
| Purity                                | Protein G purified  |
| Buffer                                | PBS   |
| Product Description                   |   |
| Host                                  | Mouse   |
| Gene ID                               | 1786  |
| Gene Symbol                           | DNMT1   |
| Species                               | Human, Mouse, Rat, Porcine, Bovine, Sheep   |
| Reactivity Notes                      | Rat reactivity reported in scientific literature (PMID: 19924110). Porcine reactivity reported in scientific literature (PMID: 23808878). Sheep reactivity reported in scientific literature (PMID: 20413592). Bovine reactivity reported in scientific literature (PMID:27384909).   |
| Immunogen                             | This antibody was raised against a synthetic peptide corresponding to amino acids 637-650 (EKDDREDKENAFKR) of human Dnmt1 (Genbank Accession No. NP_001370).  |
| Product Application Details           |   |
| Applications                          | Western Blot, Simple Western, Flow Cytometry, Flow (Intracellular), Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen, Immunohistochemistry-Paraffin, Immunoprecipitation, Chromatin Immunoprecipitation (ChIP), CyTOF-ready, Immunohistochemistry Free-Floating, Knockdown Validated  |
| Recommended Dilutions                 | Western Blot 0.1-0.5 ug/ml, Simple Western 1:100, Flow Cytometry 1 - 5 ug/mL, Immunohistochemistry 1:50-1:500, Immunocytochemistry/ Immunofluorescence 1:10. Use reported in scientific literature (PMID 24386225), Immunoprecipitation 1:10-1:500, Immunohistochemistry-Paraffin 1:50-1:500, Immunohistochemistry-Frozen 1:500, Flow (Intracellular) reported in scientific literature (PMID 24578214), Immunohistochemistry Free-Floating 1:500, Chromatin Immunoprecipitation (ChIP) 1:20-1:1000, CyTOF-ready, Knockdown Validated reported in scientific literature (PMID 31799621) |
| Application Notes                     | In Simple Western only 10-15 uL of the recommended dilution is used per data point. Separated by Size-Wes, Sally Sue/Peggy Sue.   |




### **Images**

Western Blot: DNMT1 Antibody (60B1220.1) [NB100-56519] - Analysis of Dnmt1 in 2102EP (human embryonic carcinoma) in the A) absence and B) presence of immunizing peptide, recombinant human Dnmt1 protein in the C) absence and D) presence of immunizing peptide, NIH 3T3 (mouse embryonic fribroblast) in the E) absence and F) presence of immunizing peptide, and D3 (mouse embryonic stem cell) in the G) absence and H) presence of immunizing peptide using Dnmt1 antibody. this antibody. 5 ug/ml for testing the human cell line and 0.1 ug/ml was used for testing the recombinant protein and the mouse cell lines. 's goat anti-mouse Ig HRP secondary antibody and PicoTect ECL substrate solution were used for this test.




Immunocytochemistry/Immunofluorescence: DNMT1 Antibody (60B1220.1) [NB100-56519] - Dnmt1 antibody was tested in HeLa cells with Dylight 488 (green). Nuclei and alpha-tubulin were counterstained with DAPI (blue) and DyLight 550 (red). Antibody dilution of 1:10 was used. Image objective 40x.




Immunohistochemistry-Paraffin: DNMT1 Antibody (60B1220.1) [NB100-56519] - Tissue section of human hepatocellular carcinoma at 1:50 dilution.

×

Flow Cytometry: DNMT1 Antibody (60B1220.1) [NB100-56519] - An intracellular stain was performed on HeLa cells with DNMT1 [60B1220.1] Antibody NB100-56519AF488 (blue) and a matched isotype control (orange). Cells were fixed with 4% PFA and then permeabilized with 0.1% saponin. Cells were incubated in an antibody dilution of 5 ug/mL for 30 minutes at room temperature. Both antibodies were conjugated to Alexa Fluor 488.




Flow Cytometry: DNMT1 Antibody (60B1220.1) [NB100-56519] -Analysis of PE conjugate of NB100-56519. An intracellular stain was performed on HeLa cells with DNMT1 antibody (60B1220.1) NB100-56519PE (blue) and a matched isotype control NBP2-27287PE (orange). Cells were fixed with 4% PFA and then permeablized with 0



Simple Western: DNMT1 Antibody (60B1220.1) [NB100-56519] - Simple 🔀 Western lane view shows a specific band for Dnmt1 in 0.5 mg/mL of HeLa lysate. This experiment was performed under reducing conditions using the 12-230 kDa separation system.




Immunoprecipitation: DNMT1 Antibody (60B1220.1) [NB100-56519] -The PCNAS228I mutation differentially affects PCNA binding to PIP boxcontaining proteins. GST-PIP pull down of His-S-PCNAWT or PCNAS228I. Figure shows Coomassie stained gel of representative pull down (top) and anti-PCNA western blot of the same samples diluted 1:20 (bottom). Amount of 'input' loaded for Coomassie is equivalent to 1%, 'Glut. beads' (Glutathione sepharose 4B beads) is equivalent to 25%. Molecular weight markers are indicated. Image collected and cropped by CiteAb from the following publication (https://linkinghub.elsevier.com/retrieve/pii/S1568786416304013),




The PCNAS228I mutation differentially affects PCNA binding to PIP boxcontaining proteins. B) GST-PIP pull down of His-S-PCNAWT or PCNAS228I. Figure shows Coomassie stained gel of representative pull down (top) and anti-PCNA western blot of the same samples diluted 1:20 (bottom). Amount of 'input' loaded for Coomassie is equivalent to 1%, 'Glut. beads' (Glutathione sepharose 4B beads) is equivalent to 25%. Molecular weight markers are indicated. Image collected and cropped by CiteAb from the following publication

(https://linkinghub.elsevier.com/retrieve/pii/S1568786416304013), licensed under a CC-BY licence.

licensed under a CC-BY license.



WA does not alter DNMTs gene and protein expression. (B) Effect of WA on DNMT1, DNMT3A and DNMT3B protein expression in MDA-MB-231 and MCF-7 cells, as compared to to beta-Actin protein levels. Image collected and cropped by CiteAb from the following publication (https://pubmed.ncbi.nlm.nih.gov/28467815), licensed under a CC-BY licence.



Verification of the expression of the proteins identified.(A) Validation of the SILAC results of selected proteins in immunoblots of protein extracts from the bladder cancer cells analyzed. The results validated the expression levels of proteins identified by the proteomic approach, including differentially and non-differentially expressed candidates. Antibodies displaying a single predominant band at the expected molecular weights were accepted: and alpha-tubulin, was used as the loading control. GSN, Gelsolin; Cul3, Cullin 3; IPO9. Importin 9; EGFR, Epidermal Growth Factor Receptor; NUP133, Nucleoporin 133; HSP70, Heat Shock Protein 70kDa; MCM6, Minichromosome Maintenance Complex Component 6; RCC1, Regulator of Chromosome Condensation 1; BCAS2, Breast Carcinoma Amplified Sequence 2; DNM, Dynamin; NPM, Nucleophosmin; DCTN, Dynactin; CALR, Calreticulin; MAPK, Mitogen-Activated Protein Kinase; DDX21, DEAD (Asp-Glu-Ala-Asp) box polypeptide 21; CDC2: Cell Division Cycle 2; DNMT1, DNA (cytosine-5)-Methyltransferase 1; MSH6, MutS Homolog 6; RAB14, GTPase Rab14; VDAC, Voltage-Dependent Anion Channel; CK18, Cytokeratin 18; CALD, Caldesmon; CD44, CD44 antigen isoform 1 precursor 2; EZR, Ezrin: MSN, Moesin: ANXA2, Annexin A2; CPNE3, Copine 3; FLNA, Filamin A; CAV1, Caveolin 1. Western Blots were scanned and analyzed using alpha-tubulin as normalizing control. Image collected and cropped by CiteAb from the following publication (https://pubmed.ncbi.nlm.nih.gov/23308193), licensed under a CC-BY licence.



#### **Publications**

Yang C, Deng L, Bao F et al. Sevoflurane with Low Concentration Decrease DNA Methylation on Chronic Obstructive Pulmonary Disease (COPD)-Related Gene Promoter in COPD Rat COPD 2023-12-01 [PMID: 38010369] (WB)

Chen X, Liu J, Li Y et al. IDH1 mutation impairs antiviral response and potentiates oncolytic virotherapy in glioma Nature communications 2023-10-25 [PMID: 37880243] (WB, ChIP, Mouse)

#### Details:

1:1000 dilution IB, 1:150 ChIP

Shin H, Leung A, Costello KR et al. Inhibition of DNMT1 methyltransferase activity via glucose-regulated O-GlcNAcylation alters the epigenome eLife 2023-07-20 [PMID: 37470704]

Okuno K, Pratama MY, Li J et al. Ginseng mediates its anti-cancer activity by inhibiting the expression of DNMTs and reactivating methylation-silenced genes in colorectal cancer Carcinogenesis 2023-05-03 [PMID: 37137336]

Tang Y, Hong F, Ding S et al. METTL3-mediated m6A modification of IGFBP7-OT promotes osteoarthritis progression by regulating the DNMT1/DNMT3a-IGFBP7 axis Cell reports 2023-06-02 [PMID: 37270777] (RIP, Human)

Dai Z, Liu X, Zeng H, Chen Y Long noncoding RNA HOTAIR facilitates pulmonary vascular endothelial cell apoptosis via DNMT1 mediated hypermethylation of Bcl-2 promoter in COPD Respiratory research 2022-12-17 [PMID: 36527094] (WB, Human)

Mahadevan KK, McAndrews KM, LeBleu VS et al. Oncogenic Kras G12D specific non-covalent inhibitor reprograms tumor microenvironment to prevent and reverse early pre-neoplastic pancreatic lesions and in combination with immunotherapy regresses advanced PDAC in a CD8 + T cells dependent manner bioRxiv: the preprint server for biology 2023-02-18 [PMID: 36824971] (ChIP, Mouse)

Subramani P, Nagarajan N, Mariaraj S, Vilwanathan R Knockdown of sirtuin6 positively regulates acetylation of DNMT1 to inhibit NOTCH signaling pathway in non-small cell lung cancer cell lines Cellular signalling 2023-02-20 [PMID: 36813148] (IP, ICC/IF, WB, Human)

da C. Fernandes C, da Silva R, de Almeida G et al. Epigenetic Differences Arise in Endothelial Cells Responding to Cobalt-Chromium Journal of Functional Biomaterials 2023-02-26 [PMID: 36976051] (WB, Human)

Yu V, Yong F, Chen K et al. Establishment of beta cell heterogeneity via differential CpG methylation atNnat bioRxiv 2023-02-05 (IHC, Mouse)

Varshney R, Das S, Trahan GD et al. Neonatal intake of Omega-3 fatty acids enhances lipid oxidation in adipocyte precursors iScience 2023-01-20 [PMID: 36590177] (Simple Western)

Varshney R, Das S, Trahan GD et al. Neonatal intake of Omega-3 fatty acids enhances lipid oxidation in adipocyte precursors iScience 2023-01-20 [PMID: 36590177]

More publications at <a href="http://www.novusbio.com/NB100-56519">http://www.novusbio.com/NB100-56519</a>





# **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

# **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722

Fax: 905.827.6402

canada.inquires@bio-techne.com

# **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

# **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

# Products Related to NB100-56519

**HAF007** Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-43319-0.5mg Mouse IgG1 Kappa Isotype Control (P3.6.2.8.1)

NB100-56519PE DNMT1 Antibody (60B1220.1) [PE]

# Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-56519

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

