Product Datasheet

IGSF4A/SynCAM1/CADM1 Antibody NB300-186

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB300-186

Updated 4/21/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NB300-186



NB300-186

IGSF4A/SynCAM1/CADM1 Antibody

Product Information			
Unit Size	0.1 ml		
Concentration	This product is unpurified. The exact concentration of antibody is not quantifiable.		
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.		
Clonality	Polyclonal		
Preservative	0.02% Sodium Azide		
Isotype	IgG		
Purity	Unpurified		
Buffer	Whole antisera		
Product Description			
Host	Rabbit		
Gene Symbol	CADM1		
Species	Human, Rat		
Immunogen	A synthetic peptide corresponding to the C-terminal region of rat SynCAM/CADM1.		
Product Application Details			
Applications	Western Blot, Simple Western, Immunocytochemistry/ Immunofluorescence		
Recommended Dilutions	Western Blot 1:1000, Simple Western 1:1000, Immunocytochemistry/ Immunofluorescence 1:2000		
Application Notes	 This SynCAM/CADM1 antibody can be used for Western blot and Immunocytochemistry/Immunofluorescence. Brain fractions give banding patterns of a core glycosylation population around 50kDa and a slightly higher glycosylated population around 65 kDa. Heterologous cell lysates give a single band around 107kDa. In ICC/IF, membrane staining was observed in SH-SY-5Y cells. In Simple Western only 10 - 15 uL of the recommended dilution is used per data point. Separated by Size-Wes, Sally Sue/Peggy Sue. 		


www.novusbio.com




Images

Western Blot: IGSF4A/SynCAM1/CADM1 Antibody [NB300-186] - Cells were transfected with the pCMV6-ENTRY control or pCMV6-ENTRY CADM1 cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-SynCAM/CADM1.








Western Blot: IGSF4A/SynCAM1/CADM1 Antibody [NB300-186] - Rat brain and HEK cell lysates showing different glycosylation patterns. Brain fractions give banding patterns of a core glycosylation population around 50kDa and a slightly higher glycosylated population around 65 kDa. The heterologous HEK cell lysates give a single, fully glycosylated, band around 107kDa.

Simple Western: IGSF4A/SynCAM1/CADM1 Antibody [NB300-186] -Simple Western lane view shows a specific band for SynCAM in 0.5 mg/ml of Human Brain lysate. This experiment was performed under reducing conditions using the 12-230 kDa separation system.

<u>kDa</u>	Rat Brain		HEK	
1 07 —			1	2. W 1 -
65 —				~
	*	949)r		



Tarbe, N et al. SMAGP, a new small trans-membrane glycoprotein altered in cancer. Oncogene;23(19):3395-403. 2004-04-22 [PMID: 15021913] (WB, Human, Rat)





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NB300-186

NBP2-24891	Rabbit IgG Isotype Control
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB300-186PEP	IGSF4A/SynCAM1/CADM1 Antibody Blocking Peptide

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB300-186

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

