Product Datasheet

Desmocollin-1 Antibody NBP1-88099

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.



Reviews: 1 Publications: 4

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-88099

Updated 6/7/2022 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-88099




NBP1-88099

Desmocollin-1 Antibody

-	
Product Information	
Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	PBS (pH 7.2) and 40% Glycerol
Product Description	
Host	Rabbit
Gene ID	1823
Gene Symbol	DSC1
Species	Human
Immunogen	This antibody was developed against Recombinant Protein corresponding to amino acids: SCTGTLVVHLDDYNDHAPQIDKEVTICQNNEDFAVLKPVDPDGPENGPPFQFF LDNSASKNWNIEEKDGKTAILRQRQNLDYNYYSVPIQIKDRHGLVATHMLTVRV CDCSTPSECRMKDKSTR
Product Application Details	
Applications	Western Blot, Simple Western, Immunohistochemistry, Immunohistochemistry- Paraffin
Recommended Dilutions	Western Blot 0.04-0.4 ug/ml, Simple Western 1:60, Immunohistochemistry 1:200 - 1:500, Immunohistochemistry-Paraffin 1:200 - 1:500
Application Notes	For IHC-Paraffin, HIER pH 6 retrieval is recommended. In Simple Western only 10 - 15 uL of the recommended dilution is used per data point. Separated by Size-Wes, Sally Sue/Peggy Sue. Use in Western blot reported in scientific literature (PMID: 31158401).

Images

Immunohistochemistry-Paraffin: Desmocollin-1 Antibody [NBP1-88099] - Staining of human skin shows moderate to strong membranous positivity in epidermal cells.





Immunohistochemistry-Paraffin: Desmocollin-1 Antibody [NBP1-88099] -Staining of human fallopian tube shows very weak membranous positivity in glandular cells.

Immunohistochemistry-Paraffin: Desmocollin-1 Antibody [NBP1-88099] -Staining of human prostate shows no membranous positivity in glandular cells.


Simple Western: Desmocollin-1 Antibody [NBP1-88099] - Simple

of RT-4 (Left) and U-251MG (Right) lysate. This experiment was

Simple Western: Desmocollin-1 Antibody [NBP1-88099] -

system.

lysate(s).



40 MW (kDa)





Publications

Choi HY, Ruel I, Genest J. Identification of Docetaxel as a Potential Drug to Promote HDL Biogenesis Frontiers in Pharmacology 2021-05-21 [PMID: 34093205] (B/N)

Miyazaki H, Tsunoi Y, Akagi T et al. EMSY expression affects multiple components of skin barrier with relevance to atopic dermatitis Journal of Allergy and Clinical Immunology 2019-05-01 [PMID: 31158401] (IF/IHC, WB, Human)

Min D, Lee W, Bae IH et al. Bioprinting of Biomimetic Skin containing Melanocytes. Exp. Dermatol. 2017-04-28 [PMID: 28453913] (Human)

Paavilainen L, Edvinsson A, Asplund A et al. The impact of tissue fixatives on morphology and antibody-based protein profiling in tissues and cells. J Histochem Cytochem 2010-03-01 [PMID: 19901271]

www.novusbio.com





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP1-88099

NBP1-88099PEP	Desmocollin-1 Recombinant Protein Antigen
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-88099

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

