Product Datasheet

Complement Factor B Antibody NBP1-89985

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.



Publications: 7

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-89985

Updated 12/5/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-89985



NBP1-89985

Complement Factor B Antibody

Product Information	
Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	PBS (pH 7.2) and 40% Glycerol
Product Description	
Host	Rabbit
Gene ID	629
Gene Symbol	CFB
Species	Human, Rat
Reactivity Notes	Rat reactivity reported in scientific literature (PMID:30220554) and (PMID: 26928779). Mouse (86%).
Immunogen	This antibody was developed against Recombinant Protein corresponding to amino acids: KDNEQHVFKVKDMENLEDVFYQMIDESQSLSLCGMVWEHRKGTDYHKQPWQ AKISVIRPSKGHESCMGAVVSEYFVLTAAHCFTVDDKEHSIKVSVGGEKRDLEI EVVLFHPNYNINGKKEAGIPEFYDYDVALIKLKNKLKYG
Product Application Details	
Applications	Western Blot, Simple Western, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen, Immunohistochemistry- Paraffin
Recommended Dilutions	Western Blot -Reported in (PMID: 36076550), Simple Western 1:20, Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:200 - 1:500, Immunohistochemistry-Frozen - Reported in (PMID: 26928779)
Application Notes	For IHC-Paraffin, HIER pH 6 retrieval is recommended. ICC/IF Fixation/Permeabilization: PFA/Triton X-100 In Simple Western only 10 - 15 uL of the recommended dilution is used per data point. Separated by Size-Wes, Sally Sue/Peggy Sue.

www.novusbio.com



Images

Immunocytochemistry/Immunofluorescence: Complement Factor B Antibody [NBP1-89985] - Staining of human cell line ASC TERT1 shows localization to endoplasmic reticulum. Antibody staining is shown in green.


Immunohistochemistry-Paraffin: Complement Factor B Antibody [NBP1-89985] - Staining of human prostate shows strong cytoplasmic positivity in glandular cells.


Immunohistochemistry-Paraffin: Complement Factor B Antibody [NBP1-89985] - Staining of human placenta shows strong positivity in trophoblastic cells.

Immunohistochemistry-Paraffin: Complement Factor B Antibody [NBP1-89985] - Staining of human testis shows moderate positivity of secretion surrounding Leydig cells.


www.novusbio.com








Immunohistochemistry-Paraffin: Complement Factor B Antibody [NBP1-89985] - Staining of human kidney shows moderate positivity in secretion surrounding cells in tubules.



Simple Western: Complement Factor B Antibody [NBP1-89985] - Simple Western lane view shows a specific band for CFB in 0.2 mg/ml of Tonsil lysate. This experiment was performed under reducing conditions using the 12-230 kDa separation system.





Publications

Chen K, Deng Y, Shang S et al. Complement factor B inhibitor LNP023 improves lupus nephritis in MRL/lpr mice Biomedicine & Pharmacotherapy 2022-09-01 [PMID: 36076550] (IHC-P, WB, Mouse)

Kendall RT, Renaud L, Baatz JE et al. SSc biomarkers detection in the secretome of TGFbeta1-activated primary human lung fibroblasts Journal of proteomics 2021-04-27 [PMID: 33930553]

Lin CM, Titchenell PM, Keil JM et al. Inhibition of Atypical Protein Kinase C Reduces Inflammation-Induced Retinal Vascular Permeability. Am. J. Pathol. 2018-10-01 [PMID: 30220554] (ICC/IF, Rat)

Yamanaka K, Kakuta Y, Miyagawa S et al. Depression of Complement Regulatory Factors in Rat and Human Renal Grafts Is Associated with the Progress of Acute T-Cell Mediated Rejection PLoS ONE 2016-03-01 [PMID: 26928779] (IHC-Fr, Rat)

Kato BS, Nicholson G, Neiman M et al. Variance decomposition of protein profiles from antibody arrays using a longitudinal twin model. Proteome Sci 2011-11-17 [PMID: 22093360]

Cima I, Schiess R, Wild P et al. Cancer genetics-guided discovery of serum biomarker signatures for diagnosis and prognosis of prostate cancer. Proc Natl Acad Sci U S A 2011-02-22 [PMID: 21300890]

Singh MV, Kapoun A, Higgins L et al. Ca2+/calmodulin-dependent kinase II triggers cell membrane injury by inducing complement factor B gene expression in the mouse heart. J Clin Invest 2009-04-01 [PMID: 19273909]





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP1-89985

NBP1-89985PEP	Complement Factor B Recombinant Protein Antigen
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-89985

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

