

Product Datasheet

hydroxysteroid (17-beta) dehydrogenase 11 Antibody NBP1-90334

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-90334

Updated 6/7/2021 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-90334



NBP1-90334

hydroxysteroid (17-beta) dehydrogenase 11 Antibody

Product Information	
Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	PBS (pH 7.2) and 40% Glycerol


Product Description	
Host	Rabbit
Gene ID	51170
Gene Symbol	HSD17B11
Species	Human
Reactivity Notes	Immunogen displays the following percentage of sequence identity for non-tested species: Mouse (80%), Rat (80%). Reactivity reported in scientific literature (PMID: 23227862)
Immunogen	This antibody was developed against Recombinant Protein corresponding to amino acids: FVNTGFIKNPSTSLGPTLEPEEVVNRLMHGILTEQKMIFIPSSIAFLTTLERILPER FLAVLKRKISVKFDAVIGY

Product Application Details	
Applications	Western Blot, Simple Western, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Western Blot 0.04-0.4 ug/ml, Simple Western 1:25, Immunohistochemistry 1:50 - 1:200, Immunocytochemistry/Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:50 - 1:200
Application Notes	For IHC-Paraffin, HIER pH 6 retrieval is recommended. ICC/IF Fixation Permeabilization: Use PFA/Triton X-100. In Simple Western only 10 - 15 uL of the recommended dilution is used per data point. Separated by Size.




Images


Western Blot: hydroxysteroid (17-beta) dehydrogenase 11 Antibody [NBP1-90334] - Lane 1: Marker [kDa] 250, 130, 100, 70, 55, 35, 25, 15, 10. Lane 2: Hep-G2




Immunocytochemistry/Immunofluorescence: hydroxysteroid (17-beta) dehydrogenase 11 Antibody [NBP1-90334] - Staining of human cell line U-2 OS shows localization to lipid droplets. Antibody staining is shown in green.




Immunohistochemistry-Paraffin: hydroxysteroid (17-beta) dehydrogenase 11 Antibody [NBP1-90334] - Staining of human kidney shows weak to moderate cytoplasmic positivity in cells in tubules.




Immunohistochemistry-Paraffin: hydroxysteroid (17-beta) dehydrogenase 11 Antibody [NBP1-90334] - Staining of human colon shows strong cytoplasmic positivity in glandular cells.




Immunohistochemistry-Paraffin: hydroxysteroid (17-beta) dehydrogenase 11 Antibody [NBP1-90334] - Analysis in human small intestine and skeletal muscle tissues. Corresponding HSD17B11 RNA-seq data are presented for the same tissues.




Immunohistochemistry-Paraffin: hydroxysteroid (17-beta) dehydrogenase 11 Antibody [NBP1-90334] - Staining of human skeletal muscle shows no positivity in myocytes as expected.



Immunohistochemistry-Paraffin: hydroxysteroid (17-beta) dehydrogenase 11 Antibody [NBP1-90334] - Staining of human small intestine shows strong cytoplasmic positivity in glandular cells.




Immunohistochemistry-Paraffin: hydroxysteroid (17-beta) dehydrogenase 11 Antibody [NBP1-90334] - Staining of human duodenum shows moderate to strong cytoplasmic positivity in glandular cells.



Simple Western: hydroxysteroid (17-beta) dehydrogenase 11 Antibody [NBP1-90334] - Simple Western: hydroxysteroid (17-beta) dehydrogenase 11 Antibody [NBP1-90334] - Simple Western lane view shows a specific band for hydroxysteroid (17-beta) dehydrogenase 11 in 0.2 mg/ml of HepG2 lysate(s). This experiment was performed under reducing conditions using the 12-230 kDa separation system.



Simple Western: hydroxysteroid (17-beta) dehydrogenase 11 Antibody [NBP1-90334] - Simple Western: hydroxysteroid (17-beta) dehydrogenase 11 Antibody [NBP1-90334] - Electropherogram image of the corresponding Simple Western lane view. hydroxysteroid (17-beta) dehydrogenase 11 antibody was used at 1:25 dilution on HepG2 lysate (s) respectively.



Publications

Danielsson F, Wiking M, Mahdessian D et al. RNA deep sequencing as a tool for selection of cell lines for systematic subcellular localization of all human proteins. J Proteome Res 2013-01-04 [PMID: 23227862]



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP1-90334

NBP1-90334PEP	hydroxysteroid (17-beta) dehydrogenase 11 Recombinant Protein Antigen
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-90334

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

