

Product Datasheet

COX4 Antibody (854)

NBP2-43540

Unit Size: 0.1 ml

Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-43540

Updated 8/22/2023 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-43540



NBP2-43540

COX4 Antibody (854)


Product Information	
Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	854
Preservative	No Preservative
Isotype	IgG2a
Purity	Protein G purified
Buffer	PBS
Target Molecular Weight	20 kDa

Product Description	
Host	Mouse
Gene ID	1327
Gene Symbol	COX4I1
Species	Human, Mouse, Rat
Reactivity Notes	Bovine (81%).
Immunogen	Recombinant protein encompassing a sequence within the center region of human COX4. The exact sequence is proprietary.


Product Application Details	
Applications	Western Blot, Simple Western, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Western Blot 1:500-1:3000, Simple Western reported by internal validation, Immunohistochemistry 1:100-1:1000, Immunocytochemistry/Immunofluorescence 1:100-1:1000, Immunohistochemistry-Paraffin 1:100-1:1000
Application Notes	In Simple Western internal validation: Antibody dilution of 6 ug/ml; matrix was 12-230 kDa; detected by Chemiluminescence.

Images


Western Blot: COX4 Antibody (854) [NBP2-43540] - Various tissue extracts (50 ug) were separated by 15% SDS-PAGE, and the membrane was blotted with COX4 antibody (854) diluted at 1:1000. HRP-conjugated anti-mouse IgG antibody was used to detect the primary antibody.




Immunocytochemistry/Immunofluorescence: COX4 Antibody (854) [NBP2-43540] - HeLa cells were fixed in 4% paraformaldehyde at RT for 10 min. Green: COX4 protein stained by COX4 antibody [854] diluted at 1:300. Blue: Hoechst 33342 staining. Scale bar = 10 μ m.




Immunohistochemistry-Paraffin: COX4 Antibody (854) [NBP2-43540] - Human colon cancer. COX4 stained by COX4 antibody [854] diluted at 1:200. Antigen Retrieval: Tris-EDTA buffer, pH 9.0, 15 min




Western Blot: COX4 Antibody (854) [NBP2-43540] - Analysis of A. 50 μ g mouse heart lysate/extract 12 % SDS-PAGE COX4 antibody dilution: 1:1000




Western Blot: COX4 Antibody (854) [NBP2-43540] - Analysis of A. 50 μ g rat muscle lysate/extract 15 % SDS-PAGE COX4 antibody [854] dilution: 1:1000.




Western Blot: COX4 Antibody (854) [NBP2-43540] - Non-transfected (-) and transfected (+) 293T whole cell extracts (30 ug) were separated by 15% SDS-PAGE, and the membrane was blotted with COX4 antibody [854]. HRP-conjugated anti-mouse IgG antibody was used to detect the primary antibody.



Western Blot: COX4 Antibody (854) [NBP2-43540] - Various whole cell extracts (30 ug) were separated by 15% SDS-PAGE, and the membrane was blotted with COX4 antibody (854) diluted at 1:1000. HRP-conjugated anti-mouse IgG antibody was used to detect the primary antibody.



Immunohistochemistry-Paraffin: COX4 Antibody (854) [NBP2-43540] - Human ovarian cancer. COX4 stained by COX4 antibody [854] diluted at 1:200. Antigen Retrieval: Tris-EDTA buffer, pH 9.0, 15 min.



Publications

Howell Mc, Green R, Khalil R et Al. Lung cancer cells survive epidermal growth factor receptor tyrosine kinase inhibitor exposure through upregulation of cholesterol synthesis FASEB Bioadv 2020-02-01 [PMID: 32123859] (WB, Mouse, Human)



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA

Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
novus@novusbio.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada

Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: technical@novusbio.com
Orders: orders@novusbio.com
General: novus@novusbio.com

Products Related to NBP2-43540

HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
NBP1-96778	Mouse IgG2a Isotype Control (M2A)
NB110-39115PEP	COX4 Antibody Blocking Peptide

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-43540

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

