Product Datasheet

BST2 Antibody - Azide Free NBP2-45265

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-45265

Updated 8/21/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-45265



NBP2-45265

BST2 Antibody - Azide Free


Product Information		
Unit Size	0.1 mg	
Concentration	0.5 mg/ml	
Storage	Store at -20C. Avoid freeze-thaw cycles.	
Clonality	Polyclonal	
Preservative	No Preservative	
Isotype	IgG	
Purity	Protein A purified	
Buffer	PBS	
Product Description		
Host	Rabbit	
Gene ID	684	
Gene Symbol	BST2	
Species	Human, Mouse, Rat, Primate	
Reactivity Notes	The BST2 amino acid sequence used as immunogen for this antibody is 100% homologous in White-cheeked Gibbon, Great Ape, and Gibbon.	
Immunogen	A portion of amino acids 80-130 of human BST2 was used as the immunogen for this antibody.	
Product Application Details		
Applications	Western Blot, Simple Western, Flow Cytometry, Immunohistochemistry, Immunohistochemistry-Paraffin	
Recommended Dilutions	Western Blot 2-4 ug/ml, Simple Western 1:200, Flow Cytometry reported in scientific literature (Crother et al (2011); PMID 21695198), Immunohistochemistry, Immunohistochemistry-Paraffin 5 ug/ml	

Images

Application Notes

Western Blot: BST2 Antibody - Azide Free [NBP2-45265] - Analysis using BST2 antibody. Human heart in the 1) absence and 2) presence of immunizing peptide, 3) human Jurkat, 4) mouse RAW lysate and 5) recombinant human BST2 protein probed with BST2 antibody at 4 ug/mL. Goat anti-rabbit IgG HRP secondary antibody and PicoTect ECL substrate solution were used for this test. Image using the standard format of this product.


per data point.




BST2 is a 180 amino acid protein with an observed molecular weight of approximately 30 kDa in western blotting (see Ishikawa et all, 1995 PMID

7607676). In Simple Western only 10-15 uL of the recommended dilution is used


Immunohistochemistry: BST2 Antibody - Azide Free [NBP2-45265] - Analysis of BST2 in human liver tissue using BST2 antibody at 5 ug/mL. Image using the standard format of this product.




Immunohistochemistry: BST2 Antibody - Azide Free [NBP2-45265] - Mouse femur bone marrow section stained with BST2 antibody (red) and DAPI (blue). Image from a verified customer review. Image using the standard format of this product.



Immunohistochemistry: BST2 Antibody - Azide Free [NBP2-45265] - BST-2 (green) was detected in human skin (nevus) using Ang-2 antibody (1:50; 1 hour) and secondary anti-rabbit-FITC (1:500; 30 min) in PBS. Nuclei were stained with DAPI (blue). Tissue was fixed in acetone. Image from a verified customer review. Image using the standard format of this product.



Simple Western: BST2 Antibody - Azide Free [NBP2-45265] - Lane view shows a specific band for BST2 using 0.5 mg/mL Jurkat cell lysate and antibody at 1:200. Electoropherogram image of corresponding Simple Western lane view. Image reported by internal validation.



Simple Western: BST2 Antibody - Azide Free [NBP2-45265] - Simple Western lane view shows a specific band for BST2 in 0.5 mg/ml of Jurkat lysate. This experiment was performed under reducing A246 conditions using the 12-230 kDa separation system. Image using the standard format of this product.	xDa 230- 180- 116- 66-
	12-





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966 novus@novusbio.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: technical@novusbio.com

Orders: orders@novusbio.com General: novus@novusbio.com

Products Related to NBP2-45265

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

NBP1-72363-50ug Recombinant Human BST2 His Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-45265

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

