Product Datasheet

beta-Actin Antibody (8H10D10) - Azide and BSA Free NBP2-80595

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-80595

Updated 8/21/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-80595




NBP2-80595

beta-Actin Antibody (8H10D10) - Azide and BSA Free

Product Information		
Unit Size	0.1 ml	
Concentration	1 mg/ml	
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.	
Clonality	Monoclonal	
Clone	8H10D10	
Preservative	No Preservative	
Isotype	lgG2b	
Purity	Ammonium sulfate precipitation	
Buffer	PBS	
Target Molecular Weight	42 kDa	
Product Description		
Host	Mouse	
Gene ID	60	
Gene Symbol	ACTB	
Species	Human, Mouse, Rat, Chinese Hamster, Primate	
Immunogen	This beta-Actin Antibody (8H10D10) was made to a synthetic peptide corresponding to amino-terminal residues of human Beta Actin, conjugated to KLH. [UniProt# P60709]	
Product Application Details		
Applications	Western Blot, Simple Western, ELISA, Flow Cytometry, Immunoblotting, Immunocytochemistry/Immunofluorescence, CyTOF-ready	
Recommended Dilutions	Western Blot : 1:1000-1:5000, Simple Western : 12.5, Flow Cytometry : 1:200- 1:400, ELISA : 1:10000, Immunocytochemistry/Immunofluorescence : 1:200- 1:1000, Immunoblotting reported in scientific literature (PMID 27903531), CyTOF-ready	
Application Notes	In Simple Western only 10 - 15 uL of the recommended dilution is used per data point. Separated by Size-Wes, Sally Sue/Peggy Sue.	

Images

Western Blot: beta-Actin Antibody (8H10D10) - Azide and BSA Free [NBP2-80595] - Western blot of pancreatic cell lines (CAPAN2, PATU8988T, DANG, and PANC1005). Primary antibody: beta-Actin (8H10D10), NBP1-47423, 1:1000 dilution. Secondary antibody: HRP conjugated Mouse IgG (H+L), NB7539. A specific band can be observed at a molecular weight of approximately 42 kDa. Image from verified customer review using the standard format of this antibody.




www.novusbio.com



Immunocytochemistry/Immunofluorescence: beta-Actin Antibody (8H10D10) - Azide and BSA Free [NBP2-80595] - Beta actin was detected in NIH-3T3 cells fixed with methanol using mouse anti-mouse beta-Actin monoclonal antibody (NBP1-47423) at 1:5400 dilution. Cells were stained using NorthernLights 557 conjugated anti-mouse secondary antibody (NL007) and counterstained with DAPI. Image from the standard format of this antibody. Flow Cytometry: beta-Actin Antibody (8H10D10) - Azide and BSA Free [NBP2-80595] - Analysis of MCF-7 cells using anti-Beta Actin mAb (right) 8 and negative control (left). Image from the standard format of this 8 2 antibody. Western Blot: beta-Actin Antibody (8H10D10) - Azide and BSA Free [NBP2-80595] - Analysis of Beta Actin expression in 1) HeLa 2) HepG2 and 3) Cos7 whole cell lysates. Image from the standard format of this 250antibody. 150-100-75-50 37. 25-20-15-1 2 3 Western Blot: beta-Actin Antibody (8H10D10) - Azide and BSA Free kDa 1 2 3 4 5 6 7 8 9 [NBP2-80595] - Analysis using anti-Beta Actin mAb against human, 170-130 mouse, hamster, rat, and primate cell lystate(s): (1) NIH/3T3, (2) Jurkat, 95-(3) HeLa, (4) CHO, (5) PC12, (6) HEK293, (7) COS, (8) A549, and (9) 72 MCF-7. A specific band can be observed at a molecular weight of approximately 43 kDa in all lanes. Image from the standard format of this 55 antibody. 43 34 26 17 11









Simple Western: beta-Actin Antibody (8H10D10) - Azide and BSA Free [NBP2-80595] - Image shows a specific band for Beta Actin in 1.0 mg/mL of HeLa lysate. This experiment was performed under reducing conditions using the 12-230 kDa separation system. Image from the standard format of this antibody.

e /mL	kDa	
	230	
	180-	
	116-	
	66-	
	40-	
	12-	





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP2-80595

NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
NBP2-27231	Mouse IgG2b Isotype Control (MPC-11)

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-80595

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

