

Vendor: Santa Cruz Biotechnology

Catalog #: sc-17829

View Antibody Link

Simple Western Certified Antibody Datasheet




Figure 2C: Upregulation of Cholesterol Metabolism in EGFR TKI Tolerant Cells. A, Gene expression in EGFR TKI treated parental cells. H1299 (N = 3) cells were treated at seeding with 7.5 μ M lapatinib (LP) or 20 μ M gefitinib (Gef) for 14 d. Average fold change ± SEM, compared to untreated, is shown. An unpaired t-test was used to determine significance. B, Cholesterol (chol) content of EGFR TKI treated parental cells. H1299 cells were treated at seeding with 7.5 μ M lapatinib or 15 μ M gefitinib for the indicated number of days. Average fold change ±SEM, compared to untreated, is shown [Parental (N = 10), LP Day 3 (N = 6), LP day 14 (N = 2), Gef Day 3 (N = 6), Gef Day 14 (N = 4)]. * refers to comparison to day 0. # refers to comparison between two groups connected by the line. ANOVA and the Tu... See reference below for more information.

Image collected and cropped by CiteAb from: FASEB Bioadv. 2019 Dec 28;2(2):90-105.

Under copyright license: CC BY

Antibody	
Name	Anti-α-actinin Antibody (H-2)
Isoform	
Reactant	
Antibody Type	Primary
Host	Mouse
Assay	
Sample Type	NCI-H1975
Antibody Dilution	
Detection Mode	
Separation Type	Size
Matrix	
Observed kDa	
Publications (1 found)	FASEB Bioadv. 2019 Dec 28;2(2):90-105.

For additional information on this antibody view antibody link.

This antibody is certified for Simple Western™ technology. To learn about Simple Western technology, available antibodies, or to submit new antibodies, visit the links below. For additional information, please contact: support@proteinsimple.com

Simple Western Systems

Simple Western Antibody Database

Submit Antibody Validation Data

biotechne // Global Developer, Manufacturer, and Supplier of High-Quality Reagents, Analytical Instruments, and Precision Diagnostics.

INCLUDES R&D Systems** Novus Biologicals** Tocris Bioscience** ProteinSimple** ACD** ExosomeDx** Asuragen** Lunaphore**